



OpenStreetMap Data in Layered GIS Format

Draft / Version 0.3 - 2009-03-26

Jochen Topf <jochen.topf@geofabrik.de>

Table of Contents

1	Preface.....	1
2	Introduction.....	2
2.1	Versions.....	2
2.2	Map datum.....	2
2.3	String encoding.....	2
2.4	Attribute names.....	2
2.5	Common attributes.....	2
2.6	Layers.....	3
3	Feature Catalogue - Overview.....	3
4	Point Features.....	4
4.1	Places (“places”).....	4
4.2	Points of Interest.....	5
4.3	Places of Worship (“pofw”).....	6
4.4	Railway Stations (“railwaystations”).....	6
5	Line Features.....	7
5.1	Boundaries (“boundaries”).....	7
5.2	Roads and Paths (“roads”).....	7
5.3	Railways, Subways, Trams (“railways”).....	8
5.4	Waterways (“waterways”).....	8
5.5	Coastline (“coastline”).....	9
6	Polygon Features.....	9
6.1	Landuse (“landuse”).....	9
6.2	Bodies of Water (“water”).....	9

1 Preface

The OpenStreetMap (OSM) project (www.openstreetmap.org) has collected an enormous amount of free spatial data and the database is growing every day. Many people want to use this data for their own GIS projects but have been hindered by the use of a non-standard data format in the OSM project. This document describes a mapping from OSM data formats to the usual GIS formats to make the OSM data accessible to more people.



The mapping from OSM data to other formats is not an exact science. OSM rules on how to map certain features are often not well defined and there is no mandatory quality control. This openness allows a lot of flexibility and is part of the reason why OSM has been able to collect so much data in such a short time frame, but it makes using the data more difficult. When using or exporting the data, many decisions have to be made on how to extract the different features into something usable for the task at hand.

The mapping described in this document is in no way the only mapping possible, in fact there is an infinite number of possible mappings. In this document we have specified a general-use mapping of the basic features like roads, waterways, different land use types, and points of interest. Other uses might need specialized mappings, but they are out of the scope of this document.

The format described in this document is used by Geofabrik to create shapefiles and other formats for its clients.

2 Introduction

2.1 Versions

This is no static document. New versions of this document are likely to appear from time to time. If the definition of layers or features is changed significantly, the layers will get new version identifiers.

Layer names will use version numbers with leading 'v' and without the embedded ':'. So version 0.1 of this document will use the suffix "v01", version 2.7 will use "v27" (minor versions above 9 are not allowed).

2.2 Map datum

All coordinates are unprojected WGS84 (EPSG:4326).

2.3 String encoding

All strings are encoded in UTF-8.

2.4 Attribute names

All attribute names are lower case and are less than 11 characters long so that they are not truncated in shapefiles.

2.5 Common attributes

Most tables/shape files will have the following columns/attributes:



Attribute	PostGIS Type	Description
id	INTEGER (4 Bytes)	Id of this feature. Unique in this layer.
osm_id	BIGINT (8 Bytes)	OSM Id taken from the Id of this feature (node_id, way_id, or relation_id) in the OSM database. In case several features in the OSM database are joined into one feature, this is one of the Ids. This Id is not necessarily unique!
lastchange	TIMESTAMP WITHOUT TIME ZONE	Last change of this feature. Comes from the OSM last_changed attribute. Reflects changes in the attributes of a feature, changes in the geometry will not necessarily change this!
code	SMALLINT (2 Bytes)	4 digit code (between 1000 and 9999) defining the class of this feature. The first one or two digits define the layer, the last two or three digits the class inside a layer.
fclass	VARCHAR(40)	Class name of this feature.
name	VARCHAR(100)	Name of this feature, like a street or place name.

The code and the combination of layer name and fclass always contains the same information.

2.6 Layers

In OSM there are no layers in the traditional GIS sense. All features are in one big coherent database.

For the purpose of the mapping described in this document, the features stored in the OSM database are extracted into different layers depending on their type.

All layers defined in this document use the “osm_” prefix for their names.

To allow for future changes of this document, the document version number is embedded in the layer names. So the “roads” layer in version 1.0 is called “osm_roads_v10” in file names, WMS layers etc.

3 Feature Catalogue - Overview

The following layers are available:



Geometry	Code	Layer	Description
Point			
	10xx	places	Cities, towns, suburbs, villages,...
	2xxx	-	Points of Interest
	20xx	public	Public facilities such as government offices, post office, police, ...
	21xx	health	Hospitals, pharmacies, ...
	22xx	leisure	Culture, Leisure, ...
	23xx	catering	Restaurants, pubs, cafes, ...
	24xx	accommodations	Hotel, motels, and other places to stay the night
	25xx	shopping	Supermarkets, bakeries, ...
	26xx	tourism	Tourist information, sights, museums, ...
	29xx	miscpoi	Miscellaneous points of interest
	3xxx	pofw	Places of worship such as churches, mosques, ...
	50xx	transportation	Parking lots, petrol (gas) stations, ...
	60xx	railwaystations	Railway stations and halts, tram stops, ...
Line			
	11xx	boundaries	Borders between countries ...
	51xx	roads	Roads, tracks, paths, ...
	61xx	railway	Railway, subways, light rail, trams, ...
	81xx	waterways	Rivers, canals, streams, ...
	83xx	coastline	Coastline
Polygon			
	72xx	landuse	Forests, residential areas, industrial areas,...
	82xx	water	Lakes, ...

4 Point Features

4.1 Places ("places")

Location for cities, towns, etc. Typically somewhere in the centre of the town.

Additional attributes:

Attribute	PostGIS Type	Description	OSM Tags
population	INTEGER	Number of people living in this place	population=*

Note that for many places the population is not available and will be set to 0. For islands the population is always 0.

The following feature classes exist in this layer:

code	fclass	Description	OSM Tags	
1000	place			
1001	place	city	As defined by national/state/provincial government. Often over 100,000 people	place=city
1002	place	town	As defined by national/state/provincial government. Generally smaller than a city, between 10,000 and 100,000 people	place=town
1003	place	village	As defined by national/state/provincial government. Generally smaller than a town, below 10,000 people	place=village



code		fclass	Description	OSM Tags
1004	place	hamlet	As defined by national/state/provincial government. Generally smaller than a village, just a few houses	place=hamlet
1010	place	suburb	Named area of town or city	place=suburb
1020	place	island	Identifies an island	place=island

4.2 Points of Interest

code	layer	fclass	Description	OSM Tags
2000	public			
2001		police_station		amenity=police_station
2002		fire_station		amenity=fire_station
2003		recycling		amenity=recycling
2004		post_box		amenity=post_box
2005		post_office		amenity=post_office
2006		telephone		amenity=telephone
2007		library		amenity=library
2008		town_hall		amenity=town_hall
2009		courthouse		amenity=courthouse
2010		prison		amenity=prison
2080			Education	
2081		university		amenity=university
2082		school		amenity=school
2083		kindergarten		amenity=kindergarten
2100	health			
2101		pharmacy		amenity=pharmacy
2110		hospital		amenity=hospital
2200	leisure			
2201		theatre		amenity=theatre
2202		nightclub		amenity=nightclub
2203		cinema		amenity=cinema
2300	catering		Catering services	
2301		restaurant		amenity=restaurant
2302		fast_food		amenity=fast_food
2303		cafe		amenity=cafe
2304		pub		amenity=pub
2400	accommodations			
2401		hotel		amenity=hotel
2402		motel		amenity=motel
2403		bed_and_breakfast		amenity=bed_and_breakfast
2500	shopping			
2501		supermarket		shop=supermarket



code	layer	fclass	Description	OSM Tags
2502		bakery		shop=bakery
2503		kiosk		shop=kiosk
2600	money			
2601		bank		amenity=bank
2602		atm		amenity=atm
2700	tourism			
2701		tourist_info		tourism=information
2702		attraction		tourism=attraction
2703		museum		tourism=museum
2800	transport			
2801		fuel		amenity=fuel
2802		service		amenity=services
2803		bus_stop		amenity=bus_stop
2804		parking		amenity=parking
2900	miscpoi			
2901		toilet		amenity=toilets

4.3 Places of Worship (“pofw”)

The following feature classes exist in this layer:

code	layer	fclass	Description	OSM Tags
3000	pofw		Places of worship	
3100	pofw	christian		religion=christian
3101	pofw	christian_anglican		+ denomination=anglican
3102	pofw	christian_catholic		+ denomination=catholic
3103	pofw	christian_evangelical		+ denomination=evangelical
3104	pofw	christian_lutheran		+ denomination=lutheran
3105	pofw	christian_methodist		+ denomination=methodist
3106	pofw	christian_orthodox		+ denomination=orthodox
3107	pofw	christian_protestant		+ denomination=protestant
3200	pofw	jewish		religion=jewish
3300	pofw	muslim		religion=muslim

4.4 Railway Stations (“railwaystations”)

The following feature classes exist in this layer:

code	layer	fclass	Description	OSM Tags
6000	railwaystations			
6001	railwaystations	station	Larger railway station of mainline rail services	railway=station



code	layer	fclass	Description	OSM Tags
6002	railwaystations	halt	Smaller, local railway stations, subway stations	railway=halt
6003	railwaystations	tram_stop	Tram stops	railway=tram_stop

5 Line Features

5.1 Boundaries (“boundaries”)

OSM currently uses up to 11 different levels for administrative boundaries. Only the level 2 is reasonably well defined, it is used for national borders. Other levels depend on the country they are in.

The following feature classes exist in this layer:

code	layer	fclass	Description	OSM Tags
1100	boundary			boundary=administrative
1101	boundary			+ admin_level=1
1102	boundary	national	National borders	+ admin_level=2
1103	boundary			+ admin_level=3
1104	boundary			+ admin_level=4
1105	boundary			+ admin_level=5
1106	boundary			+ admin_level=6
1107	boundary			+ admin_level=7
1108	boundary			+ admin_level=8
1109	boundary			+ admin_level=9
1110	boundary			+ admin_level=10
1111	boundary			+ admin_level=11

5.2 Roads and Paths (“roads”)

All kinds of roads from motorways to gravel tracks as well as cycleways, footpaths, etc.

Additional attributes:

Attribute	PostGIS Type	Description	OSM Tags
ref	VARCHAR(20)	Reference number of this road ('A 5', 'L 605', ...)	ref=*
oneway	BOOLEAN	Is this a oneway road?	oneway=*
maxspeed	SMALLINT	Max allowed speed in km/h	maxspeed=*
layer	SMALLINT	Relative layering of roads (-5, ..., 0, ..., 5)	layer=*

Roads of type 5111 (motorway) and 5112 (trunk) are always oneway.

The following feature classes exist in this layer:

code	layer	fclass	Description	OSM Tags
5100	roads			
5110	roads		Major roads	
5111	roads	motorway	Motorway/freeway	highway=motorway
5112	roads	trunk	Important roads, typically divided	highway=trunk



code	layer	fclass	Description	OSM Tags
5113	roads	primary	Primary roads, typically national.	highway=primary
5114	roads	secondary	Secondary roads, typically regional.	highway=secondary
5115	roads	tertiary	Tertiary roads, typically local.	highway=tertiary
5120	roads		Minor Roads	
5121	roads	unclassified	Smaller local roads	highway=unclassified
5122	roads	residential	Roads in residential areas	highway=residential
5123	roads	living_street	Streets where pedestrians have priority over cars	highway=living_street
5124	roads	pedestrian	Pedestrian only streets	highway=pedestrian
5130	roads		Highway links (sliproads/ramps) connect from one road to another of the same of lower category	
5131	roads	motorway_link		highway=motorway_link
5132	roads	trunk_link		highway=trunk_link
5133	roads	primary_link		highway=primary_link
5134	roads	secondary_link		highway=secondary_link
5140	roads		Very small roads	
5141	roads	service	Service roads for access to buildings, parking lots, etc.	highway=service
5142	roads	track	For agricultural use, in forests, etc. Often gravel roads.	highway=track
5150	roads		Paths unsuitable for cars	
5151	roads	bridleway	Paths for horse riding	highway=bridleway
5152	roads	cycleway	Paths for cycling	highway=cycleway
5153	roads	footway	Footpaths	highway=footway
5154	roads	Path	Unspecified paths	highway=path
5155	roads	steps	Flights of steps on footpaths	highway=steps
			Unknown	
5199	roads	unknown	Unknown type of road or path	highway=road

5.3 Railways, Subways, Trams (“railways”)

Railways don't have a 'name' attribute.

The following feature classes exist in this layer:

code	layer	fclass	Description	OSM Tags
6100	railways			
6101	railways	rail		railway=rail
6102	railways	light_rail		railway=light_rail
6103	railways	subway		railway=subway
6104	railways	tram		railway=tram

5.4 Waterways (“waterways”)

Additional attributes:



Attribute	PostGIS Type	Description	OSM Tags
width	SMALLINT	Width of the waterway in meters	width=*

The following feature classes exist in this layer:

code	layer	fclass	Description	OSM Tags
8100	waterway			
8101	waterway	river	Larger rivers	waterway=river
8102	waterway	stream	Smaller rivers, streams	waterway=stream
8103	waterway	canal	Artificial waterways	waterway=canal
8104	waterway	drain	Small drainage ditches etc.	waterway=drain

Note that in OSM larger rivers are often available as polygon geometries and line geometries.

5.5 Coastline ("coastline")

Only the code 8300 is used. Coastlines don't have a name attribute.

6 Polygon Features

6.1 Landuse ("landuse")

The following feature classes exist in this layer:

code	layer	fclass	Description	OSM Tags
7200	landuse			
7201	landuse	forest	Forests or woods	landuse=forest
7202	landuse	park	Parks in cities etc.	leisure=park
7203	landuse	residential	Residential areas	landuse=residential
7204	landuse	industrial	Industrial areas	landuse=industrial
7205	landuse	farm	Agricultural land	landuse=farm
7206	landuse	cemetery	Cemetery/graveyard	landuse=cemetery
7207	landuse	allotments	Areas with small private gardens	landuse=allotments

6.2 Bodies of Water ("water")

The following feature classes exist in this layer:

code	layer	fclass	Description	OSM Tags
8200	water	unspecified	Unspecified bodies of water. Typically lakes, but can also be larger rivers, harbours, etc.	natural=water
8201	water	reservoir	Artificial lakes, typically above a dam.	landuse=reservoir

Note that in OSM larger rivers are often available as polygon geometries and line geometries.